

*Your
Quality Time.*

**TECHNICAL SPECIFICATIONS
AND EQUIPMENT 2021/2022**

valid from 05/18/2022



THE PRIME TIME VAN

STANDARD FEATURES

Top features:

- Lithium ion battery with charge booster
- Winter-proof according to EN 1646
- Washroom with swivelling shower screen
- Mineral kitchen worktop "from a single piece", with integrated sink, retractable tap and worktop extension
- Wall units with interior lighting

Basic vehicle

- Fiat Ducato 35L chassis, van
- Euro 6D Final incl. Ad Blue and soot particle filter
- Driver + passenger airbag
- ABS, ASR, Esp incl. Traction+, hill descent
- Manual air-conditioning system
- Cruise control
- Fuel tank, 90 litre
- Central locking with radio remote control
- Daytime running light
- Electric window risers at the front
- Cup holder
- Decorative wheel trims
- Fix & Go breakdown kit
- Rear bumper black

Body exterior

- Winter-proof according to EN 1646
- Sound and heat insulating roof, floor and sides
- Body colour white
- Body-flush frame windows, insulated, with quick-release fasteners
- Windows with mosquito screens and blackout (also in the rear doors?)
- Two side windows in the sleeping area (595HB: 1)
- Vent windows at the rear
- External lighting
- Electric step

Driver's cab

- Cab seat cover in living area upholstery fabric
- Carpet in the driver's cab
- Seamless, head-high passage to the driver's cab
- 2 map compartments above the doors
- 2 double reading lights
- Eco-leather trim with integrated LED ambient lights in the transition to the superstructure

Living space

- Ergonomically shaped dinette with rounded edges
- Folding table with swivel extension and chrome-plated table base
- Table top with cup holder
- Living room upholstery in eco-leather / fabric combination with decorative stitching
- Double floor storage compartments under seating group (1 pull-out, 1 folding compartment, 1 floor storage compartment)
- Wall units, rear-ventilated, with shelves and ambient lighting
- Interior lighting of the wall units automatically activate when opened
- "Beach Home" furniture décor
- Wardrobe with pull-out clothes rail

- Smooth Touch fleece covering on the ceiling
- Textile wall covering on the side walls
- Window frame and skylight trims in eco-leather
- Robust metal flap stand
- Chrome-plated cabinet locks with handle button
- LED functional and ambient lighting
- USB ports and TV preparation at the seating group

Kitchen

- Single-piece mineral worktop with integrated sink and foldable worktop extension
- Pull-out / retractable kitchen tap
- Wide pull-outs with soft-close function
- Two-burner gas cooker with cover
- Gas shut-off taps centrally located in the kitchen unit
- Compressor refrigerator with 90-litre volume
- Spice rack with acrylic glass rail and indirect lighting
- Ambient lighting on the kitchen unit and wall unit
- 2 flap compartments in the entrance area, 1 with bottle holder
- 1 pull-out in the kitchen unit accessible from the outside
- Table rail for suspending the dinette table, with folding cover panel

Bathroom

- Washroom with swivelling "easy-open" shower screen
- Shower space with up to 60x90cm floor space
- Wooden shower grate
- Large mineral washbasin with Click-Clack anti-odour trap
- Storage compartments in the wall unit, shower wall and wall panelling
- Mirror cabinet
- Hinged, 3 cm-thick room door
- Door handle with exclusive eco-leather wrapping
- Cassette toilet
- Washroom window with mosquito screen and blackout

Sleeping area

- Rear beds with disc springs and cold foam comfort mattresses
- Rear beds can be set up for variable loading area
- On Model 635 EB modular storage boxes under the beds
- On Model 635 HB drive-on ramp and load compartment cover made of metal
- Overhead storage cupboards with shelves, back-ventilated and illuminated

EQUIPMENT PACKAGES

- Fabric-covered corner connector modules with integrated loudspeakers on the rear cabinets
- Midi Heki roof hatch above sleeping area
- 2 side windows (635HB: 1) with backlit window frame and skylight trims in eco-leather
- Swivelling LED reading spotlights with USB ports
- Rear doors with fabric covering and opening windows

Installation

- Heater Combi 4KW Diesel
- Hot water supply with single-lever mixer tap
- Pressurised water pump
- Heated and insulated fresh water tank in the interior
- Heated waste water tank underfloor
- Water drainage taps frost-proof in interior floor compartment
- Gas box in rear storage compartment

Electrical supply

- Lithium-ion living space battery 100 Ah
- 230V sockets in kitchen, seating area and bathroom
- Function light and ambient lighting can be switched separately
- TV preparation and 12V socket in seating group
- 2 USB ports each in living room and sleeping area
- Disconnecter for starter and living area battery
- Electric automatic charger for body / vehicle battery
- CEE external connection for 230 V with automatic circuit breaker
- Ground fault circuit interrupter
- On-board control panel with indication of all important functions above the entrance
- CP+ heating control incl. crash sensor

Design package

Fog lights
Black radiator grille
16" aluminium rims

Driving assistance package

Emergency braking assistant
Lane departure assistant
Rain and light sensor
High beam assistant
Traffic sign recognition

Chassis package

DAB preparation
Painted bumper
Electrically adjustable exterior mirrors
Electrical retraction of exterior mirrors
Captain Chair seats

Prestige Package

Multimedia preparation (radio preparation with steering wheel controls and reversing camera)
Automatic air conditioning
Steering wheel and gearshift knob in leather
Inductive charging station

Mondial package

Chassis package
Design package
Midi-Heki skylight
140 HP engine
Roof - "Sun Roof" panoramic plastic roof
Manual blackout system
Mesh screen for cabin door
Solar system

V 595 HB



V 595 HB

Fiat Ducato 35L // 35H,
89 kW (120 HP)

BASIC VEHICLE

Total permiss. techn weight*	3,500 kg
Fuel tank	90 ltr Diesel + 19 ltr Ad Blue
Weight in ready-to-drive state**	2,915 kg
Perm. gross train weight with 120 HP / 140, 160, 180 HP	5,800 / 6,000 // 6,500 kg****
Permissible trailer load (braked)*** with 120 HP / 140, 160, 180 HP	2,000 / 2,500 // 3,000 kg****

DIMENSIONS

Total length	5,990 mm
Total width	2,050 mm
Overall height	2,650 mm
Interior width	1,940 mm
Standing height	1,890 mm
Wheelbase	4,035 mm
Series tyres	215/70 R15 // 225/75 R16C****
Rear bed	1,830 x 1,535 (1,385) mm
Front bed / lift-up bed	-
Number of sleeping berths	2 (3)
Permitted number of people with 3-point belt	4

INSTALLATION

Fresh water capacity complete	100 l
Waste water capacity	90 l
Gas box	2 x 5 kg
Battery capacity (lithium-ion battery)	100 Ah
Charger	17 A
Refrigerator	90 l

* For safety reasons, the "technically permissible maximum laden mass" stated in the vehicle registration document must not be exceeded under any circumstances.

** Dimensions in ready-to-drive state as per (EU Directive) No. 1230/2012: Vehicle with standard equipment according to manufacturer's specifications including driver (75 kg), 90% of filling quantity for fuel, 100% for water as well as gas (aluminium gas bottle 5 kg), without special equipment.

*** The permissible gross train weight must be observed.

**** with 35 H chassis (option)

V 635 EB

Fiat Ducato 35L // 35H,
89 kW (120 HP)

BASIC VEHICLE

Total permiss. techn weight*	3,500 kg
Fuel tank	90 ltr Diesel + 19 ltr Ad Blue
Weight in ready-to-drive state**	3,045 kg
Perm. gross train weight with 120 HP / 140, 160, 180 HP	5,800 / 6,000 // 6,500 kg****
Permissible trailer load (braked)*** with 120 HP / 140, 160, 180 HP	2,000 / 2,500 // 3,000 kg****

DIMENSIONS

Total length	6,360 mm
Total width	2,050 mm
Overall height	2,650 mm
Interior width	1,940 mm
Standing height	1,890 mm
Wheelbase	4,035 mm
Series tyres	215/70 R15 // 225/75 R16C****
Rear bed	1,910 x 770 / 1,780 x 750 mm
Front bed / lift-up bed	-
Number of sleeping berths	2 (3)
Permitted number of people with 3-point belt	4

INSTALLATION

Fresh water capacity complete	100 l
Waste water capacity	90 l
Gas box	2 x 5 kg
Battery capacity (lithium-ion battery)	100 Ah
Charger	17 A
Refrigerator	90 l

- * For safety reasons, the "technically permissible maximum laden mass" stated in the vehicle registration document must not be exceeded under any circumstances.
 ** Dimensions in ready-to-drive state as per (EU Directive) No. 1230/2012: Vehicle with standard equipment according to manufacturer's specifications including driver (75 kg), 90% of filling quantity for fuel, 100% for water as well as gas (aluminium gas bottle 5 kg), without special equipment.
 *** The permissible gross train weight must be observed.
 **** with 35 H chassis (option)

V 635 EB



V 635 HB



V 635 HB

Fiat Ducato 35L // 35H,
89 kW (120 HP)

BASIC VEHICLE

Total permiss. techn weight*	3,500 kg
Fuel tank	90 ltr Diesel + 19 ltr Ad Blue
Weight in ready-to-drive state**	3,065 kg
Perm. gross train weight with 120 HP / 140, 160, 180 HP	5,800 / 6,000 // 6,500 kg****
Permissible trailer load (braked)*** with 120 HP / 140, 160, 180 HP	2,000 / 2,500 // 3,000 kg****

DIMENSIONS

Total length	6,360 mm
Total width	2,050 mm
Overall height	2,650 mm
Interior width	1,940 mm
Standing height	1,890 mm
Wheelbase	4,035 mm
Series tyres	215/70 R15 // 225/75 R16C****
Bed conversion of the seating group	-
Rear bed (height-adjustable)	1,850/1,750 x 1,580 mm
Lying surface in lower position (with extension)	1,850/1,750 x 1,880 mm
Number of sleeping berths	2 (3)
Permitted number of people with 3-point belt	4

INSTALLATION

Fresh water capacity complete	85 l
Waste water capacity	75 l
Gas box	2 x 5 kg
Battery capacity (lithium-ion battery)	100 Ah
Charger	17 A
Refrigerator	90 l

* For safety reasons, the "technically permissible maximum laden mass" stated in the vehicle registration document must not be exceeded under any circumstances.

** Dimensions in ready-to-drive state as per (EU Directive) No. 1230/2012: Vehicle with standard equipment according to manufacturer's specifications including driver (75 kg), 90% of filling quantity for fuel, 100% for water as well as gas (aluminium gas bottle 5 kg), without special equipment.

*** The permissible gross train weight must be observed.

**** with 35 H chassis (option)

SPECIAL FEATURES

S = standard equipment
 O = optional equipment at extra charge
 P = optional package equipment
 - = not possible

	V 595 HB	V 635 EB	V 635 HB	Weight in kg	RRP in €	
COMFORT PACKAGES						
4500	Mondial Package Eura Mobil Van	O	O	O	72	3.580,00 €
2820	Chassis Package	O	O	O	2	1.190,00 €
2823	Design Package	O	O	O	2	1.290,00 €
2822	Prestige Package Eura Mobil Van	O	O	O	5	1.300,00 €
2823	Driving assistance package	O	O	O	1	1.090,00 €

BODY

2315	Body 35 H	O	O	O	40	1.090,00 €
2110	Fiat 140 HP engine (surcharge compared to 120 HP)	O	O	O	0	990,00 €
2111	Fiat 160 HP engine (surcharge compared to 120 HP)	O	O	O	15	3.390,00 €
2112	Fiat 180 HP engine (surcharge compared to 120 HP)	O	O	O	15	5.290,00 €
2117	Fiat 160 HP engine (surcharge compared to 140 HP)	O	O	O	15	2.400,00 €
2119	Fiat 180 HP engine (surcharge compared to 140 HP)	O	O	O	15	4.300,00 €
2131	Fiat automatic gearbox	O	O	O	18	3.790,00 €
2417	Fiat Silver paintwork	O	O	O	0	890,00 €
2411	Fiat Iron Grey paintwork	O	O	O	0	890,00 €
2412	Fiat Black paintwork	O	O	O	0	890,00 €
2414	Artense Grey paintwork	O	O	O	0	890,00 €

	V 595 HB	V 635 EB	V 635 HB	Weight in kg	RRP in €	
2415	Expedition Grey paintwork	O	O	O	0	890,00 €
2416	Lanzarote Grey paintwork	O	O	O	0	890,00 €
2750	Seat heating in driver cab seats	O	O	O	0	490,00 €
2593	Parking assistance	O	O	O	1	440,00 €

BIKE CARRIER AND AWNING

5141	Bicycle carrier for 2 bicycles (up to 30 kg)	O	O	O	7	540,00 €
------	----------------------------------------------	---	---	---	---	----------

SUPPLY TECHNOLOGY

7221	Combi C 6 E heating	O	O	O	1	640,00 €
7222	Combi D 6 E heating	O	O	O	0	640,00 €

MULTIMEDIA

3430	Flat screen wall bracket in front area	O	O	O	1	640,00 €
------	----------------------------------------	---	---	---	---	----------

DELIVERY (MANDATORY)

9009	Gas safety certificate, COC documents or vehicle paperwork, TÜV approval and pre-carriage	O	O	O	0	400,00 €
A801	Transfer costs	O	O	O	0	690,00 €

All of the information in this brochure relates to the products listed herein and does not apply to any other products of Eura Mobil GmbH. The models illustrated in this brochure show the features available in Germany. They may also contain optional equipment and accessories that are not included with the standard scope of delivery. All weights quoted are values with a fluctuation limit of +/- 5 per cent. Due to legal regulations, differences from the model variations described here and equipment featured may be necessary in certain countries. Please ask your Eura Mobil dealer about the exact scope and range available of model-specific and model-neutral features. Subject to errors and changes in design, equipment and optional equipment. The publication of this brochure renders all previous catalogues invalid.

General information regarding the weight situation in motor homes

Special features (additional features) increase the weight in the vehicle's ready-to-drive state and reduce the cargo capacity. The weight of the additional equipment is detailed in our brochure information or your dealer / seller can tell you. The maximum number of persons permitted depends on the weight and axle load. It can be reduced if optional equipment (= special equipment / additional equipment) and accessories are installed, so in the interests of cargo loading capacity certain seats cannot be used. If all seats are to be used, some cargo capacity may need to be foregone. The technically permissible overall weight and axle loads must not be exceeded. The cargo loading capacity reduces with the installation of special features (= special equipment / additional equipment) and accessories. The cargo loading capacity is also not only dependent on the weight in the vehicle's ready-to-drive state, the actual vehicle weight, the weight of the accessories and the technical permissible overall weight, but also on the respective axle loads. The only way to achieve the highest possible payload supported by the vehicle's technology is to have a corresponding, axle-load-dependent load distribution.

Unless otherwise regulated, weight in ready-to-drive state as per Article 2 (4a) Regulation (EU) 1230/2012 is defined as: Vehicle dimensions with standard equipment according to manufacturer specifications (incl. vehicle tool kit)

- + fuel tank 90% filled
- + 75 kg (weight of the driver)
- + fluid gas bottle (filling capacity of 11 kg) made of aluminium filled to 100% (equals 18 kg in total)
- + fresh water tank filled to 100% in drive position (capacity of the fresh water tank is limited to 25 litres of fresh water in ready-to-drive state, where technically feasible*)
- + toilet flushing tank filled to 100%
- + fresh water heater filled to 100% = dimensions in ready-to-drive state

* marked capacity of the fresh water tank pursuant to appendix V. Part A (2.6 Fn). (h) Regulation (EU) 1230/2012 is limited to 25 litres by an overflow valve (recommended filling for driving), depending on the vehicle model

The technically permissible overall weight according to Article 2 (7) Regulation (EU) 1230/2012 is defined as: The vehicle's maximum weight when loaded as provided by the manufacturer.

Pursuant to the information provided in the catalogue, the maximum cargo loading capacity is defined as: Technically permissible overall weight – Dimensions in ready-to-drive state = maximum cargo loading capacity.

© Eura Mobil GmbH 2022

Reprints, including excerpts thereof, are only permitted with the written consent of Eura Mobil GmbH.

Correct as of May 2022

Eura Mobil GmbH - Kreuznacher Strasse 78 - 55576 Sprendlingen (Rheinhesen) Tel. +49 6701 / 203 200 - Fax +49 6701 / 203 210 - info@euramobil.de - www.euramobil.de