



**EURA MOBIL**

*Your  
Quality Time.*

**Now  
also with  
adjustable  
roof**



# THE PRIME TIME VAN

2023/2024 season

Equipment and technical specifications

# STANDARD FEATURES

## Basic vehicle

- Fiat Ducato 35L chassis, van
- Euro 6D Final incl. Ad Blue and soot particle filter
- Driver + passenger airbag
- ABS, ASR, Esp incl. Traction+, hill descent
- Manual air-conditioning system
- Cruise control
- Fuel tank, 90 litre
- Central locking with radio remote control
- Daytime running light
- Electric window risers at the front
- Decorative wheel trims
- Fix & Go breakdown kit
- Rear bumper black

## Superstructure exterior

- Sound and heat insulating roof, floor and sides
- Body colour white
- Body-flush frame windows, insulated, with quick-release fasteners
- Windows with mesh screens and blackout (also in the rear doors)
- Two side windows in the sleeping area (595HB: 1)
- Vent windows at the rear
- External lighting
- Electric step

## Driver's cab

- Cab seat cover in living area upholstery fabric
- Carpet in the driver's cab
- Seamless, head-high passage to the driver's cab
- 2 map compartments above the doors
- 2 double reading lights
- Eco-leather trim with integrated LED ambient lights in the transition to the superstructure

## Living space

- Ergonomically shaped dinette with rounded edges
- Folding table with swivel extension and chrome-plated table base
- Table top with cup holder
- Living room upholstery in eco-leather / fabric combination with decorative stitching
- Double floor storage compartments under seating group (1 pull-out, 1 folding compartment, 1 floor storage compartment)
- Wall units, rear ventilation, with shelves
- "Beach Home" furniture décor
- Wardrobe with pull-out clothes rail
- Smooth Touch fleece covering on the ceiling
- Textile wall covering on the side walls
- Window frame and skylight trims in eco-leather
- Robust metal flap stand
- Chrome-plated cabinet locks with handle button
- LED functional and ambient lighting
- USB ports and TV preparation at the seating group

## Kitchen

- Single-piece mineral worktop with integrated sink and foldable worktop extension
- Pull-out / retractable kitchen tap
- Wide pull-outs with soft-close function
- Two-burner gas cooker with cover
- Gas shut-off taps centrally located in the kitchen unit
- Compressor refrigerator with 90-litre volume
- Spice rack with acrylic glass rail and indirect lighting
- Ambient lighting on the kitchen unit and wall unit

- 2 flap compartments in the entrance area, 1 with bottle holder
- 1 pull-out in the kitchen unit accessible from the outside
- Table rail for suspending the dinette table, with folding cover panel

## Bathroom

- Washroom with swivelling easy-to-open shower screen
- Shower space with up to 60x90cm floor space
- Wooden shower grate
- Large mineral washbasin with Click-Clack anti-odour trap
- Storage compartments in the wall unit, shower wall and wall panelling
- Mirror cabinet
- Hinged, 3 cm-thick room door
- Door handle with exclusive eco-leather wrapping
- Cassette toilet
- Washroom window with mesh screen and blackout

## Sleeping area

- Rear beds with disc springs (V 595 HB) or slatted frame and cold foam comfort mattresses
- Rear beds can be set up for variable loading area
- On Model 635 EB modular storage boxes under the beds
- On Model 635 HB drive-on ramp and load compartment cover made of metal
- Overhead storage cupboards with shelves, back-ventilated and illuminated
- Fabric-covered corner connector modules with integrated loudspeakers on the rear cabinets
- Midi Heki roof hatch above sleeping area
- 2 side windows with backlit window frame and skylight trims in eco-leather (595HB: 1)
- Swivelling LED reading spotlights with USB ports
- Rear doors with fabric covering and opening windows

## Installation

- 4KW diesel heating
- Hot water supply with single-lever mixer tap
- Pressurised water pump
- Frost-proof fresh water tank in interior
- Heated waste water tank underfloor
- Water drainage taps frost-proof in interior floor compartment
- Gas box in rear storage compartment
- External shower (not possible for V 595 HB)

## Electrical supply

- 230V sockets in kitchen, seating area and bathroom
- Function light and ambient lighting can be switched separately
- TV preparation and 12V socket in seating group
- 2 USB ports each in living room and sleeping area
- Disconnecter for starter and living area battery
- Electric automatic charger for body / vehicle battery
- CEE external connection for 230 V with automatic circuit breaker
- Ground fault circuit interrupter
- On-board control panel with indication of important functions above entrance
- CP+ heating control incl. crash sensor



**[Find a Euro Mobil dealer near you!](#)**

## SPECIAL FEATURES

	V 595 HB	V 635 EB	V 635 HB	Additional weight kg
<b>COMFORT PACKAGES</b>				
4503 Mondial package	0	0	0	40
4505 Mondial Plus package*	0	0	0	50
4508 Mondial S package*	0	0	0	40
2824 Driving assistance package	0	0	0	2
2825 Driving assistance plus package	0	0	0	2.5

<b>BODY</b>				
2315 Body 35 H	0	0	0	40
2119 Fiat 180 HP engine (surcharge compared to 140 HP)	0	0	0	15
2131 Fiat automatic gearbox	0	0	0	18
2593 Parking assistance (reversing sensor)	0	0	0	1
6220 Additional bed	0	0	0	6
138 litre refrigerator	0	-	-	25
2411 Fiat Iron Grey paintwork	0	0	0	0
2412 Fiat Black paintwork	0	0	0	0
2414 Artense Grey paintwork	0	0	0	0
2415 Expedition Grey paintwork	0	0	0	0
2416 Lanzarote Grey paintwork	0	0	0	0
5320 Adjustable roof, black with Skyroof	0	0	0	120
6220 Additional bed for 1 person	0	0	0	15

<b>AWNING</b>				
5240 3.7 m awning	0	-	-	35
5241 4 m awning	-	0	0	36

<b>SUPPLY TECHNOLOGY</b>				
7222 Combi D 6 E heating	0	0	0	0
7230 Lithium battery	0	0	0	-13

<b>MISCELLANEOUS</b>				
9520 1 year new car extended warranty ("Car Garantie") up to 4.5 t	0	0	0	0
9522 2 year new car extended warranty ("Car Garantie") up to 4.5 t	0	0	0	0
9524 3 year new car extended warranty ("Car Garantie") up to 4.5 t	0	0	0	0

<b>DELIVERY (MANDATORY)</b>				
Gas safety certificate, COC documents or vehicle paperwork, TÜV approval and pre-carriage	0	0	0	0
A801 Transfer costs	0	0	0	0

S = Standard O = Optional  
P = Included in package - = Not possible

## FEATURE PACKAGES (OPTIONAL)

<b>MONDIAL PACKAGE</b>
Bumpers painted in the vehicle colour
Steering wheel controls
Electric exterior mirrors
Captain's chair seats
Radio
Rear-view camera after-sales
Electric parking brake
Radiator grille in piano black
Keyless Entry and Go
Roof – panoramic roof/Skyroof
Midi-Heki skylight
Manual dimming system for driver's cab
Mesh screen
Pre-cabling for solar power system

<b>MONDIAL PLUS PACKAGE*</b>
Automatic air conditioning
Steering wheel and gearshift knob in leather
16" aluminium rims
Inductive charging station
Lithium battery
Solar power system (120 Watt)

<b>MONDIAL S PACKAGE*</b>
Radio with DAB + navigation
Rear-view camera
Fully digital display
Awning

<b>DRIVING ASSISTANCE PACKAGE</b>
Safety package (emergency braking and lane departure assistant, rain and light sensor, traffic sign recognition, automatic beam dipping, fog light with cornering light)
Blind spot assistant with rear lateral movement detection
Parking assistance

<b>DRIVING ASSISTANCE PLUS PACKAGE</b>
Advanced safety package (emergency braking and lane departure assistant, rain and light sensor, traffic sign recognition, automatic beam dipping, fog light with cornering light, adaptive cruise control, intelligent speed assistant, fatigue assistant)
Blind spot assistant with rear lateral movement detection
Parking assistance
Full LED headlights

\* Only in combination with Mondial/Mondial Plus



## TECHNICAL SPECIFICATIONS

**V 595 HB****V 635 EB****V 635 HB**

BASIC VEHICLE	35 L Fiat Ducato // 35H, 103 kW (140 HP)	35 L Fiat Ducato // 35H, 103 kW (140 HP)	35 L Fiat Ducato // 35H, 103 kW (140 HP)
Technically permissible overall weight*	3,500 kg	3,500 kg	3,500 kg
Fuel tank	90 ltr Diesel + 19 ltr Ad Blue	90 ltr Diesel + 19 ltr Ad Blue	90 ltr Diesel + 19 ltr Ad Blue
Weight in ready-to-drive state**	2,945 kg	3,055 kg	3,075 kg
Permissible gross train weight with 140, 180 HP	6,000 // 6,500 kg****	6,000 // 6,500 kg****	6,000 // 6,500 kg****
Permissible trailer load (braked)*** with 140, 180 HP	2,500 // 3,000 kg****	2,500 // 3,000 kg****	2,500 // 3,000 kg****

### DIMENSIONS

Total length	5,990 mm	6,360 mm	6,360 mm
Total width	2,050 mm	2,050 mm	2,050 mm
Overall height	2,650 mm	2,650 mm	2,650 mm
Interior width	1,940 mm	1,940 mm	1,940 mm
Standing height	1,890 mm	1,890 mm	1,890 mm
Wheelbase	4,035 mm	4,035 mm	4,035 mm
Standard tyres	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****
Rear bed (adjustable)	1,860 x 1,490 mm	1,950 x 800 / 1,860 x 800 mm	1,850 (1,750) x 1,580 mm*****
Bed in adjustable roof (optional)	1,880 x 1,200 mm	1,880 x 1,200 mm	1,880 x 1,200 mm
Number of sleeping berths	2 (3)	2 (3)	2 (3)
Permitted number of people with 3-point belt	4	4	4

### INSTALLATION

Fresh water capacity complete	85 L	85 L	85 L
Waste water capacity	75 L	75 L	75 L
Gas box	2 x 5 kg	2 x 5 kg	2 x 5 kg
Battery capacity	80 Ah	80 Ah	80 Ah
Charger	17 A	17 A	17 A
Refrigerator	84 l	84 l	84 l

\* For safety reasons, the "technically permissible maximum laden mass" stated in the vehicle registration document must not be exceeded under any circumstances. \*\* Dimensions in ready-to-drive state as per EU Directive No. 1230/2012: Vehicle with standard equipment according to manufacturer's specifications including driver (75 kg), 90% of filling quantity for fuel, 100% for water in the drive position (20 litres), gas (ALU 5-kg gas bottle), without special features.

\*\*\* the permissible gross train weight must be observed. \*\*\*\* with 35 H chassis (optional). \*\*\*\*\* Reclining area can be extended to 1850/1750 x 1880 mm in the lower position.

All of the information in this brochure relates to the products listed herein and does not apply to any other products of Eura Mobil GmbH. The models illustrated in this brochure show the features available in Germany. They may also contain special features and accessories that are not included with the standard scope of delivery. All weights quoted are values with a fluctuation limit of +/- 5 per cent. Due to legal regulations, differences from the model variations described here and equipment featured may be necessary in certain countries. Please ask your Eura Mobil dealer about the exact scope and range available of model-specific and model-neutral features. Subject to errors and changes in design, equipment and special features. The publication of this brochure renders all previous catalogues invalid.

#### General information regarding the weight situation in motor homes

Special features (additional features) increase the weight in the vehicle's ready-to-drive state and reduce the cargo capacity. The weight of the additional equipment is detailed in our brochure information or your dealer / seller can tell you. The maximum number of persons permitted depends on the weight and axle load. It can be reduced if special features (= special equipment / additional equipment) and accessories are installed, so in the interests of cargo loading capacity certain seats cannot be used. If all seats are to be used, some cargo capacity may need to be foregone. The technically permissible overall weight and axle loads must not be exceeded. The cargo loading capacity reduces with the installation of special features (= special equipment / additional equipment) and accessories. The cargo loading capacity is also not only dependent on the weight in the vehicle's ready-to-drive state, the actual vehicle weight, the weight of the accessories and the technical permissible overall weight, but also on the respective axle loads. In order to use the maximum possible cargo capacity based on the vehicle's technology, suitable, axle load-dependent weight distribution is required.

Unless otherwise regulated, weight in ready-to-drive state as per Article 2 (4a) Regulation (EU) 1230/2012 is defined as: Vehicle dimensions with standard equipment according to manufacturer specifications (incl. vehicle tool kit) + fuel tank 90% filled

- + 75 kg (weight of the driver)
- + fluid gas bottle (filling capacity of 11 kg) made of aluminium filled to 100% (equals 18 kg in total)
- + Fresh water tank filled to 100% in drive position (capacity of the fresh water tank is limited to 20 litres of fresh water in ready-to-drive state, where technically feasible\*)
- + fresh water heater filled to 100% = dimensions in ready-to-drive state

\* marked capacity of the fresh water tank pursuant to appendix V, Part A (2.6 Fn). (h) Regulation (EU) 1230/2012 is limited to 20 litres by an overflow valve (recommended filling for driving), depending on the vehicle model

The technically permissible overall weight according to Article 2 (7) Regulation (EU) 1230/2012 is defined as: The vehicle's maximum weight when loaded as provided by the manufacturer.

Pursuant to the information provided in the catalogue, the maximum cargo loading capacity is defined as: Technically permissible overall weight - weight in ready-to-drive state = maximum cargo loading capacity.

